


IAPMO RESEARCH AND TESTING, INC.

5001 E. Philadelphia Street, Ontario, CA 91761 • Phone (909) 472-4100 • Fax (909) 472-4244 • www.iapmort.org



CERTIFICATE OF LISTING



IAPMO Research and Testing, Inc. is a product certification body in which its product certification system includes inspection and testing of samples taken from the supplier's stock or from the market or a combination of both to verify compliance to the requirements of applicable codes and standards. This activity is coupled with periodic surveillance of the supplier's factory and/or warehouses as well as the assessment of the supplier's Quality Assurance System. This listing is subject to the conditions set forth in the characteristics below and is not to be construed as any recommendation, assurance or guarantee by IAPMO Research and Testing, Inc. of the product acceptance by Authorities Having Jurisdiction.

Issued To:

SYMBOLSINK CO., LTD.

RM. 1702, SINO CENTRE, 582-92 NATHAN RD., MONGKOK, KLN., HONGKONG, CHINA

Product:

Plumbing Fixtures (Stainless Steel)

Products are in compliance with the following code(s):

**Uniform Plumbing Code (UPC®)
National Plumbing Code of Canada**

Products are in compliance with the following standard(s)

**ASME A112.19.3-2017/CSA B45.4-17 including Errata dated
August 2017**

File Number: 13362

Revised Date: January 19, 2022

Effective Date: December 2021

Void After: December 2026*


Chairman, Product Certification Committee





Chief Technical Service Officer

*This certificate is not evidence of current listing. To verify listing status, visit the IAPMO R&T Product Listing Directory at pld.iapmo.org

This listing period is based upon the last date of the month indicated on the Effective Date and Void After Date shown above. Any change in material, manufacturing process, marking or design without having first obtained the approval of the Product Certification Committee, or any evidence of non-compliance with applicable codes and standards or of inferior workmanship, may be deemed sufficient cause for revocation of this listing. Production of or reference to this form for advertising purposes may be made only by specific written permission of IAPMO Research and Testing, Inc. Any alteration of this certificate could be grounds for revocation of the listing. This document shall be reproduced in its entirety.

IAPMO RESEARCH AND TESTING, INC.

CERTIFICATE OF LISTING



Issued To: SYMBOLSINK CO., LTD.

File Number: 13362

Product: Plumbing Fixtures (Stainless Steel)

Effective Date: December 2021

Revised Date: January 19, 2022

Void After: December 2026

This certificate is not evidence of current listing. To verify listing status, visit the IAPMO R&T Product Listing Directory at pld.iapmo.org

Identification:

Each fixture shall be permanently and legibly marked with the listee's name or trademark, or in the case of private labeling, the name or trademark of the additional company for whom the fixture was manufactured. The product shall also bear the cUPC® certification mark.


Characteristics:

Stainless steel plumbing fixture to be installed in accordance with the manufacturer's installation instructions and the requirements of the latest edition of the Uniform Plumbing Code. Fixtures may include kitchen sinks, bar sinks, and or lavatories.

Products listed on this certificate have been tested by an IAPMO R&T recognized laboratory. This recognition has been granted based upon the laboratory's compliance to the applicable requirements of ISO/IEC 17025.

IAPMO RESEARCH AND TESTING, INC.

CERTIFICATE OF LISTING



Issued To: SYMBOLSINK CO., LTD.

File Number: 13362

Product: Plumbing Fixtures (Stainless Steel)

Effective Date: December 2021

Revised Date: January 19, 2022

Void After: December 2026


This certificate is not evidence of current listing. To verify listing status, visit the IAPMO R&T Product Listing Directory at pld.iapmo.org

Models

Model Number	Description	Dimension
3218	Depth: 5"-9"	Thickness: 20G-16G / Round Drain
3121L/R	Depth: big bowl:9" small bowl:7"	Thickness: 18G-16G / Round Drain
3221L/R	Depth: big bowl:8-9" small bowl:6-7"	Thickness: 20G-16G / Round Drain
3118A	Depth: 5"-9"	Thickness: 18G-16G / Round Drain
3218AL/R	Depth: big bowl:7-8" small bowl:6-7"	Thickness: 20G-16G / Round Drain
3221CL/CR	Depth: big bowl:9-10" small bowl:7-8"	Thickness: 18G-16G / Round Drain
2919	Depth: 5"-8"	Thickness: 22G-16G / Round Drain
3521	Depth: 5"-9"	Thickness: 20G-16G / Round Drain
3121AL/R	Depth: big bowl:5-9" small bowl:5"	Thickness: 20G-16G / Round Drain
2921L/R	Depth: big bowl:5-9" small bowl:5-7"	Thickness: 20G-16G / Round Drain
2719L/R	Depth: big bowl:5-9" small bowl:5-7"	Thickness: 20G-16G / Round Drain
2717	Depth: big bowl:5-8" small bowl:5-7 1/4"	Thickness: 20G-16G / Round Drain
3720L/R	Depth: big bowl:5-9" small bowl:5-7"	Thickness: 20G-16G / Round Drain
R3118D	Depth: 8"-9"	Thickness: 18G-16G / Round Drain
R3221L/R	Depth: big bowl:8-10" small bowl:7-9"	Thickness: 18G-16G / Round Drain
R3618L/R	Depth: big bowl:8-10" small bowl:8-9"	Thickness: 18G-16G / Round Drain
3218S	Depth: 5"-9"	Thickness: 20G-16G / Round Drain
3118	Depth: 5"-10"	Thickness: 20G-16G / Round Drain
3018S	Depth: 5"-9"	Thickness: 20G-16G / Round Drain
2718	Depth: 5"-9"	Thickness: 20G-16G / Round Drain
2421	Depth: 5"-9"	Thickness: 20G-16G / Round Drain
2318	Depth: 5"-9"	Thickness: 20G-16G / Round Drain
1815	Depth: 5"-7"	Thickness: 20G-16G / Round Drain
1616	Depth: 7"-8"	Thickness: 20G-16G / Round Drain
1512	Depth: 5"-7"	Thickness: 20G-16G / Round Drain
3221B	Depth: 9"-10"	Thickness: 18G-16G / Round Drain
460	Depth: 5"-8"	Thickness: 22G-16G / Round Drain

IAPMO RESEARCH AND TESTING, INC.

CERTIFICATE OF LISTING



Issued To: SYMBOLSINK CO., LTD.

File Number: 13362

Product: Plumbing Fixtures (Stainless Steel)

Effective Date: December 2021

Revised Date: January 19, 2022


Void After: December 2026

This certificate is not evidence of current listing. To verify listing status, visit the IAPMO R&T Product Listing Directory at pld.iapmo.org

Model Number	Description	Dimension
2118	Depth: 5"-9"	Thickness: 22G-16G / Round Drain
2018	Depth: 5"-8"	Thickness: 18G-16G / Round Drain
1815M	Depth: 5"-7"	Thickness: 22G-16G / Round Drain
R1816	Depth: 8"-9"	Thickness: 18G-16G / Round Drain
R3118S	Depth: 8"-10"	Thickness: 18G-16G / Round Drain
R2118	Depth: 8"-10"	Thickness: 18G-16G / Round Drain
R2118A	Depth: 8"-10"	Thickness: 18G-16G / Round Drain
R1815	Depth: 7"-9"	Thickness: 18G-16G / Round Drain
R1815M	Depth: 7"-9"	Thickness: 18G-16G / Round Drain
R2318	Depth: 7"-9"	Thickness: 18G-16G / Round Drain
4321	Depth: big bowl:5-9" small bowl:5"	Thickness: 20G-16G / Round Drain
T2522	Depth: 5"-8"	Thickness: 22G-18G / Round Drain
T2522	Depth: 9"	Thickness: 20G-18G / Round Drain
T3322	Depth: 5"-8"	Thickness: 22G-18G / Round Drain
T3322	Depth: 9"	Thickness: 20G-18G / Round Drain
T1515	Depth: 5"-6"	Thickness: 22G-18G / Round Drain
T3319	Depth: 5"-6"	Thickness: 22G-18G / Round Drain
T3319	Depth: 7"-8"	Thickness: 22G-18G / Round Drain
T3120	Depth: 7"-8"	Thickness: 18G-16G / Round Drain
T3121L/R	Depth: big bowl:8-9" small bowl:6-7"	Thickness: 18G-16G / Round Drain
2716	Depth: 5"-7"	Thickness: 22G, / Round Drain
360	Depth: 5"-6"	Thickness: 22G, / Round Drain
1722	Depth: 5"-6"	Thickness: 22G-20G / Round Drain
3232	Depth: 8 3/16	Thickness: 20G / Round Drain
Z/RD-T3322LX	Depth: 5"-10"	Thickness: 20G-15G / 1.Round Drain 2.Square Drain
Z/RD-T3322X	Depth: 5"-10"	Thickness: 20G-15G / 1.Round Drain 2.Square Drain
Z/RS-T3322X	Depth: 5"-10"	Thickness: 20G-15G / 1.Round Drain 2.Square Drain
Z/RS-3419X	Depth: 5"-10"	Thickness: 20G-15G / 1.Round Drain 2.Square Drain
Z/RS-3219X	Depth: 5"-10"	Thickness: 20G-15G / 1.Round Drain 2.Square Drain

IAPMO RESEARCH AND TESTING, INC.

CERTIFICATE OF LISTING



Issued To: SYMBOLSINK CO., LTD.

File Number: 13362

Product: Plumbing Fixtures (Stainless Steel)

Effective Date: December 2021

Revised Date: January 19, 2022


Void After: December 2026

This certificate is not evidence of current listing. To verify listing status, visit the IAPMO R&T Product Listing Directory at pld.iapmo.org

Model Number	Description	Dimension
Z/RS-3218X	Depth: 5"-10"	Thickness: 20G-15G / 1.Round Drain 2.Square Drain
Z/RS-3118X&BS-3118	Depth: 5"-10"	Thickness: 20G-15G / 1.Round Drain 2.Square Drain
Z/RS-3118MX	Depth: 5"-10"	Thickness: 20G-15G / 1.Round Drain 2.Square Drain
Z/RS-3018X	Depth: 5"-10"	Thickness: 20G-15G / 1.Round Drain 2.Square Drain
Z/RS-2818MX	Depth: 5"-10"	Thickness: 20G-15G / 1.Round Drain 2.Square Drain
Z/RS-2718X	Depth: 5"-10"	Thickness: 20G-15G / 1.Round Drain 2.Square Drain
Z/RS-2518X	Depth: 5"-12"	Thickness: 20G-15G / 1.Round Drain 2.Square Drain
Z/RS-2319X	Depth: 5"-10"	Thickness: 20G-15G / 1.Round Drain 2.Square Drain
Z/RS-2318X	Depth: 5"-10"	Thickness: 20G-15G / 1.Round Drain 2.Square Drain
Z/RS-2218X	Depth: 5"-10"	Thickness: 20G-15G / 1.Round Drain 2.Square Drain
Z/RS-2120X	Depth: 5"-10"	Thickness: 20G-15G / 1.Round Drain 2.Square Drain
Z/RS-2019X	Depth: 5"-10"	Thickness: 20G-15G / 1.Round Drain 2.Square Drain
Z/RS-1717X	Depth: 5"-10"	Thickness: 20G-15G / 1.Round Drain 2.Square Drain
Z/RS-1515X	Depth: 5"-10"	Thickness: 20G-15G / 1.Round Drain 2.Square Drain
Z/RS-1518X & BS-1518	Depth: 5"-10"	Thickness: 20G-15G / 1.Round Drain 2.Square Drain
Z/RS-1414X	Depth: 5"-10"	Thickness: 20G-15G / 1.Round Drain 2.Square Drain
Z/RD-3320L/RX	Depth: 5"-10"	Thickness: 20G-15G / 1.Round Drain 2.Square Drain
Z/RD-3319X	Depth: 5"-10"	Thickness: 20G-15G / 1.Round Drain 2.Square Drain
Z/RD-3318X	Depth: 5"-10"	Thickness: 20G-15G / 1.Round Drain 2.Square Drain
Z/RD-3219L/RX	Depth: 5"-10"	Thickness: 20G-15G / 1.Round Drain 2.Square Drain
Z/RD-3219X	Depth: 5"-10"	Thickness: 20G-15G / 1.Round Drain 2.Square Drain
Z/RD-3218X	Depth: 5"-10"	Thickness: 20G-15G / 1.Round Drain 2.Square Drain
Z/RD-3121L/RX	Depth: 5"-10"	Thickness: 20G-15G / 1.Round Drain 2.Square Drain
Z/RD-3118X& BD-3118	Depth: 5"-10"	Thickness: 20G-15G / 1.Round Drain 2.Square Drain
Z/RD-3118L/RX& BD-3118BL	Depth: 5"-10"	Thickness: 20G-15G / 1.Round Drain 2.Square Drain
Z/RD-3218X	Depth: 5"-10"	Thickness: 20G-15G / 1.Round Drain 2.Square Drain
Z/RD-2920X	Depth: 5"-10"	Thickness: 20G-15G / 1.Round Drain 2.Square Drain
Z/RD-2818X	Depth: 5"-10"	Thickness: 20G-15G / 1.Round Drain 2.Square Drain
AD-Z/R3621L/RX	Depth: 5"-10"	Thickness: 20G-15G / 1.Round Drain 2.Square Drain

IAPMO RESEARCH AND TESTING, INC.

CERTIFICATE OF LISTING



Issued To: SYMBOLSINK CO., LTD.

File Number: 13362

Product: Plumbing Fixtures (Stainless Steel)

Effective Date: December 2021

Revised Date: January 19, 2022

Void After: December 2026

This certificate is not evidence of current listing. To verify listing status, visit the IAPMO R&T Product Listing Directory at pld.iapmo.org


Model Number	Description	Dimension
AS-Z/R3621X	Depth: 5"-10"	Thickness: 20G-15G / 1.Round Drain 2.Square Drain
AD-Z/R3322X	Depth: 5"-10"	Thickness: 20G-15G / 1.Round Drain 2.Square Drain
AD-Z/R3322L/RX	Depth: 5"-10"	Thickness: 20G-15G / 1.Round Drain 2.Square Drain
AS-Z/R3322X	Depth: 5"-10"	Thickness: 20G-15G / 1.Round Drain 2.Square Drain
AD-Z/R3320X	Depth: 5"-10"	Thickness: 20G-15G / 1.Round Drain 2.Square Drain
AS-Z/R3320X	Depth: 5"-10"	Thickness: 20G-15G / 1.Round Drain 2.Square Drain
AS-Z/R3321X	Depth: 5"-10"	Thickness: 20G-15G / 1.Round Drain 2.Square Drain
A/SD-3121X	Depth: 5"-10"	Thickness: 20G-15G / 1.Round Drain 2.Square Drain
A/SS-3121X	Depth: 5"-10"	Thickness: 20G-15G / 1.Round Drain 2.Square Drain
KTMS-SS-3023X-1	Depth: 5"-10"	Thickness: 20G-15G / 1.Round Drain 2.Square Drain
KTMS-SS-3023X4N1-1	Depth: 5"-10"	Thickness: 20G-15G / 1.Round Drain 2.Square Drain
AS-Z/R3219X	Depth: 5"-10"	Thickness: 20G-15G / 1.Round Drain 2.Square Drain
ZS-3220X	Depth: 5"-10"	Thickness: 20G-15G / 1.Round Drain 2.Square Drain
ZD-3120X	Depth: 5"-10"	Thickness: 20G-15G / 1.Round Drain 2.Square Drain
ZD-3420X	Depth: 5"-10"	Thickness: 20G-15G / 1.Round Drain 2.Square Drain
ZS-1620X	Depth: 5"-10"	Thickness: 20G-15G / 1.Round Drain 2.Square Drain
ADZ/R3321X	Depth: 5"-10"	Thickness: 18G-15G / 1.Round Drain 2.Square Drain
ASZ/R3321X	Depth: 5"-10"	Thickness: 18G-15G / 1.Round Drain 2.Square Drain
ASZ/R3021X	Depth: 5"-10"	Thickness: 18G-15G / 1.Round Drain 2.Square Drain
ASZ/R3621X	Depth: 5"-10"	Thickness: 18G-15G / 1.Round Drain 2.Square Drain
ADZ/R3621LX	Depth: 5"-10"	Thickness: 18G-15G / 1.Round Drain 2.Square Drain
Z/RS-1519X	Depth: 5"-10"	Thickness: 18G-15G / 1.Round Drain 2.Square Drain
Z/RS-1920X	Depth: 5"-10"	Thickness: 18G-15G / 1.Round Drain 2.Square Drain

Finish

1	Stainless Steel Satin
2	Matte Black
3	Rose Gold
4	Gold

IAPMO RESEARCH AND TESTING, INC.

CERTIFICATE OF LISTING



Issued To: SYMBOLSINK CO., LTD.

File Number: 13362

Product: Plumbing Fixtures (Stainless Steel)

Effective Date: December 2021

Revised Date: January 19, 2022

Void After: December 2026

This certificate is not evidence of current listing.To verify listing status, visit the IAPMO R&T Product Listing Directory at pld.iapmo.org

Finish

5	Silver
---	--------

X

1	Blank
---	-------

2	P
---	---

3	C
---	---

4	215
---	-----

5	315
---	-----

6	415
---	-----